

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 2 | "20010049682".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 08:05 |
| L2 | 1 | 1 and indicat\$6 same (database or relational) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 08:06 |
| L3 | 26 | ("6651111" or "4330822" or "6178546" or "5987450" or "6629094" or "6199063" or "5586328" or "5758160" or "5751287" or "20030058286" or "5325531" or "5546570" or "5926819").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 08:37 |
| L4 | 1 | 3 and procedure and algorithm and debug\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:15 |
| L5 | 0 | 4 and quer\$6 and (database or relational or (data adj base)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 08:51 |
| L6 | 10 | 3 and quer\$6 and (database or relational or (data adj base)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:05 |
| L7 | 7 | 6 and recurs\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 08:51 |
| L8 | 11 | 3 and recurs\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 08:52 |
| L9 | 8 | 3 and (pars\$6 or decompos\$6 or break\$6 or split\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 08:54 |

EAST Search History

| | | | | | | |
|-----|---|--|---|----|----|------------------|
| L10 | 1 | 9 and trigger | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 08:54 |
| L11 | 1 | 9 and trigger\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 08:54 |
| L12 | 7 | 3 and quer\$6 and (database or relational or (data adj base)) and recur\$9 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:11 |
| L13 | 4 | 3 and quer\$6 same (database or relational or (data adj base)) same recur\$9 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:01 |
| L14 | 0 | 13 and procedure and algorithm | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 08:56 |
| L15 | 1 | 13 and procedure | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 08:57 |
| L16 | 5 | 3 and (indicat\$8 or flag\$6 or field or bit or offset) with (database or relational or (data adj base)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:12 |
| L17 | 2 | 3 and procedur\$6 same dependency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:08 |
| L18 | 1 | 3 and algorithm and debug\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:03 |
| L19 | 3 | 3 and algorithm and code | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:03 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| L20 | 10 | 3 and dependency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:04 |
| L21 | 1 | 19 and dependency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:04 |
| L22 | 1 | 17 and quer\$6 and (database or relational or (data adj base)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:05 |
| L23 | 2 | 17 and (quer\$6 or (database or relational or (data adj base))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:06 |
| L24 | 2 | 23 and (generat\$6 or creat\$6 or build\$6 or implement\$7) near3 dependency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:07 |
| L25 | 6 | 3 and (generat\$6 or creat\$6 or build\$6 or implement\$7) near3 dependency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:07 |
| L26 | 5 | 3 and (procedur\$6 or code) with dependency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:15 |
| L27 | 6 | 3 and (procedur\$6 or code or data or information) with dependency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:08 |
| L28 | 5 | 3 and quer\$6 with ((database or relational or (data adj base)) and recur\$9) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:14 |
| L29 | 4 | 28 and (indicat\$8 or flag\$6 or field or bit or offset) with (database or relational or (data adj base)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:12 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L30 | 6 | 3 and quer\$6 near4 ((database or relational or (data adj base)) and (rewrit\$6 or recur\$9)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:15 |
| L31 | 959 | quer\$6 near4 ((database or relational or (data adj base)) and (rewrit\$6 or recur\$9)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:15 |
| L32 | 39 | 31 and procedure and algorithm and debug\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:18 |
| L33 | 32 | 32 and (procedur\$6 or code) with dependency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:19 |
| L34 | 35 | 31 and procedure and algorithm and debug\$8 and dependency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:18 |
| L35 | 49 | 31 and (procedur\$6 or code) with dependency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/27 09:19 |